Washington Behavioral Risk Factor Surveillance System 2004 Tobacco Survey Results

Clark County

What is your age?	n	= 647
18 - 34 35 - 54 55 - 74 75+	31.5% 42.4 20.1 6.0	` '
Gender	n	= 647
Male Female	50.3% 49.7	(± 4.5%) (± 4.5)
Which one of these groups would you say best represents your race	n	= 636
White Black or African American Asian Native Hawaiian or Other Pacific Islander American Indian, Alaska Native Other race No preferred race	93.4% 1.8 0.7 0.3 1.5 2.3	(± 2.4%) (± 1.4) (± 0.7) (± 0.3) (± 1.1) (± 1.6) (± 0.1)
Are you Hispanic or Latino/Latina?	n	= 644
Yes No	4.0% 96.0	(± 2.1%) (± 2.1)
Marital status	n	= 645
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple	62.0% 12.0 4.6 1.7 13.8 5.9	(± 1.4)
How many children less than 18 years of age live in your household?	n	= 644
None 1 2 3 or more	53.7% 17.4 17.7 11.1	(± 4.5%) (± 3.5) (± 3.4) (± 2.9)
What is the highest grade or year of school you completed?	n	= 643
Some high school or less High school graduate or GED Some college or technical school College graduate or more *Estimates based on sample sizes less than 50 were omitted.	7.3% 27.6 37.6 27.6	(± 2.4%) (± 4.1) (± 4.3) (± 3.8)
		Clark

Created on 8/29/2005

Page 1 of 10

Are you currently		n =	644
Employed for wages Self-employed Out of work Homemaker Student Retired Or unable to work	53.7% 6.3 6.9 8.3 3.9 16.0 4.9		(± 4.4%) (± 2.0) (± 2.4) (± 2.3) (± 1.9) (± 2.8) (± 2.1)
Annual household income from all sources		n =	: 567
Less than \$20,000 \$20,000 to less than \$50,000 \$50,000 or more	11.7% 43.9 44.4		(± 2.9%) (± 4.7) (± 4.8)
Have you smoked at least 100 cigarettes in your entire life?		n =	990
Yes No	46.1% 53.9		(± 3.6%) (± 3.6)
Among those that have smoked at least 100 cigarettes in their entire life:			
Do you now smoke cigarettes everyday, some days, or not at all?			: 472
Everyday Some days Not at all	36.6% 9.4 53.9		(± 5.1%) (± 3.0) (± 5.2)
Among current smokers: During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking?		n =	: 199
Yes No	52.6% 47.4		(± 8.0%) (± 8.0)
Current cigarette smoking prevalence:		n =	990
(every day or some day smokers among the whole population)	21.2%		(± 3.0%)
Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days?		n =	: 294
Yes No	50.0% 50.0		(± 6.7%) (± 6.7)
Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes?		n =	: 135
on non-many and or me passes and you omens eight energy		–	
Less than 30 days 30 days	28.0% 72.0		(± 8.7%) (± 8.7)
Less than 30 days			` ,

Clark Page 2 of 10 Created on 8/29/2005

Have you ever tried using smokeless tobacco, like chew, dip or snuff?	r	n = 627
Yes	25.4%	(± 4.2%)
No	74.6	(± 4.2)
Among those that have ever tried smokeless tobacco:		
On how many of the past 30 days did you use smokeless tobacco products?	r	n = 124
None Less than 30 days 30 days	84.9% 7.5 7.6	(± 7.3%) (± 5.4) (± 5.4)
Current smokeless tobacco prevalence:	r	n = 627
(any use in past 30 days among the whole population)	3.8%	(± 2.0%)
In the past month, have you smoked a cigar, even just a puff?	r	n = 628
Yes No	7.2% 92.8	(± 2.5%) (± 2.5)
Current tobacco use (all types of tobacco)	r	n = 629
Current daily tobacco user	28.6%	,
Current non-tobacco user	71.4	(± 4.3)
Among former smokers: About how long has it been since you last smoked cigarettes regularly, that is, daily?	r	า = 156
Within the past month (less than 1 month ago)	0.0%	(± 0.0%)
Within the past months (less than 1 month ago) Within the past 3 months (1-3 months ago)	3.0	(± 0.076) (± 2.8)
Within the past 6 months (3-6 months ago)	1.9	(± 2.3)
Within the past year (6-12 months ago)	2.2	(± 2.8)
Within the past 5 years (1-5 years ago)	19.4	(± 6.9)
Within the past 15 years (5-15 years ago)	26.0	(± 8.4)
More than 15 years ago	43.0 4.5	(± 8.8)
Never used regularly	4.5	(± 5.1)
Among former smokers:		
When you last smoked cigarettes regularly, on average, how many days per month did you smoke?	ı r	n = 154
Average:	29.3	(± 2.3)
Among former smokers: When you last smoked cigarettes regularly, on average, how many cigarettes did	r	n = 154
you smoke per day?		
Average:	20.3	(± 3.1)

Clark
Created on 8/29/2005
Page 3 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among never smokers less than 30 years old: Do you think that you will smoke a cigarette anytime during the next year?		n = 39
Definitely yes	*	*
Probably yes	*	*
Probably no	*	*
Definitely no	*	*
Among never smokers less than 30 years old: If you of your best friends offered you a cigarette, would you smoke it?		n = 38
Definitely yes	*	*
Probably yes	*	*
Probably no	*	*
Definitely no	*	*
Amount assument to be a consistent of		
Among current tobacco users: About how much do you usually spend on tobacco products every week?	r	n = 150
Less than \$25 At least \$25 but less than \$55	67.0% 26.0	,
More than \$55	7.0	(± 4.5)
more diam que		(= 1.0)
Among current tobacco users:		
In the past month, did you buy tobacco on a Native American reservation?	r	n = 162
Yes	2.5%	(± 2.4%)
No	97.5	(± 2.4)
Among current tobacco users:		
In the past month, did you buy tobacco from the Internet?	r	n = 161
Yes	4.7%	(± 3.8%)
No	95.3	(± 3.8)
	00.0	(= 0.0)
Among current tobacco users:		
During the past month, did you buy tobacco outside the state to save money - not just because you were traveling?	r	n = 162
	40.00/	(· C C0()
Yes No	12.6% 87.4	(± 6.6%) (± 6.6)
NO	07.4	(± 0.0)
Among current/former tobacco users:		
People close to me are/were upset by my using tobacco.	r	n = 287
Strongly agree	47.7%	(± 6.8%)
Somewhat agree	21.2	(± 5.8)
Somewhat disagree	15.8	(± 4.7)
Strongly disagree	15.3	(± 4.8)

Created on 8/29/2005 Page 4 of 10

Clark

^{*}Estimates based on sample sizes less than 50 were omitted.

Among current/former tobacco users: When was the last time a DOCTOR or other healthcare provider advised you to quit, if ever?	n	= 294
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	28.7% 7.2 21.7 42.4	(± 6.1%) (± 3.7) (± 5.5) (± 6.6)
Among current/former tobacco users: When was the last time a DENTIST advised you to quit, if ever?	n	= 289
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	15.2% 2.6 8.9 73.3	(± 5.2%) (± 2.0) (± 4.0) (± 6.2)
Among current/former tobacco users: When was the last time a PHARMACIST advised you to quit, if ever?	n	= 298
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	2.1% 0.5 0.9 96.4	(± 2.0%) (± 1.0) (± 1.3) (± 2.6)
Among those advised to quit:		
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?	n	= 179
Did the health care professional who advised to quit offer any help, or refer you to	n 43.6% 56.4	= 179 (± 8.6%) (± 8.6)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes	43.6% 56.4	(± 8.6%)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is	43.6% 56.4	(± 8.6%) (± 8.6)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is it coverage through Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service	43.6% 56.4 n 45.5% 25.2 8.5 12.7 4.9 2.8 0.0 0.4	$(\pm 8.6\%)$ (± 8.6) $= 547$ $(\pm 4.8\%)$ (± 4.1) (± 2.4) (± 3.1) (± 1.9) (± 1.5) (± 0.0)

Clark
Created on 8/29/2005
Page 5 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among current and recent former smokers: Within the past year, did your employer offer any stop-smoking class or other programs to help employees quit using tobacco?	n	= 69
Yes No	14.9% 85.1	(± 9.2%) (± 9.2)
Among current and recent former smokers with health care coverage: Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?		= 109
Yes No Don't know/Not sure	28.6% 38.2 33.2	(± 10.1%) (± 10.4) (± 10.2)
Among current and recent former smokers: Have you heard about the Washington State "Quit-Line" - a telephone support service to help people quit using tobacco?	n	= 138
Yes No	54.5% 45.5	(± 9.8%) (± 9.8)
Among current and recent former smokers who have heard of the "Quit-Line": Would you ever call a telephone support service for help in quitting tobacco?	n	= 127
Definitely Yes Probably Yes Probably No Definitely No	11.4% 32.6 29.6 26.4	(± 6.0%) (± 9.9) (± 9.6) (± 8.9)
Among current and recent former smokers who have heard of the "Quit-Line": Have you called the Quit line?	n	= 75
Yes No	8.4% 91.6	(± 7.1%) (± 7.1)
Among current tobacco users: Would you like to quit using tobacco?	n	= 148
Yes No	70.7% 29.3	(± 8.3%) (± 8.3)
Among current tobacco users who would like to quit: Are you seriously considering quitting tobacco use within the next 6 months?	n	= 102
Yes No	89.6% 10.4	(± 6.8%) (± 6.8)
Among current tobacco users considering quitting within 6 months: Are you planning to stop within the next 30 days?	n	= 102
Yes No Don't know/Not sure	33.9% 51.6 14.5	(± 10.8%) (± 11.6) (± 7.6)

Created on 8/29/2005

Clark Page 6 of 10

Are you currently registered to vote?	n	= 623
Yes No	81.1% 18.9	(± 3.8%) (± 3.8)
Which of the following statements best describes the rules about smoking in your home	n	= 624
No one is allowed to smoke anywhere inside your home Smoking is allowed at some places or at some times Smoking is permitted anywhere inside your home	87.0% 7.8 5.3	(± 3.0%) (± 2.4) (± 1.9)
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	n	= 624
No current smokers in household 1 2 3 or more	68.4% 19.0 11.3 1.3	(± 4.3%) (± 3.5) (± 3.1) (± 1.2)
On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?	n	= 625
None Less than 30 30 days	90.0% 3.7 6.3	(± 2.7%) (± 1.6) (± 2.2)
If it were just up to you, would you let people smoke inside your home?	n	= 619
If it were just up to you, would you let people smoke inside your home? Yes No	n 10.9% 89.1	= 619 (± 3.0%) (± 3.0)
Yes No Among people who are currently employed for wages:	10.9% 89.1	(± 3.0%) (± 3.0)
Yes No Among people who are currently employed for wages: When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital Somewhere else Among people who are currently employed for wages:	10.9% 89.1 n 39.3% 6.3 3.5 10.5 8.9 13.8 6.0 3.6 6.0 2.3	(± 3.0%)
Yes No Among people who are currently employed for wages: When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital Somewhere else	10.9% 89.1 n 39.3% 6.3 3.5 10.5 8.9 13.8 6.0 3.6 6.0 2.3	(± 3.0%) (± 3.0) = 337 (± 5.9%) (± 2.8) (± 2.6) (± 3.8) (± 3.4) (± 4.5) (± 3.2) (± 1.8) (± 2.7) (± 1.7)

Clark
Created on 8/29/2005
Page 7 of 10

Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace Employee lunchrooms or lounges?	n =	= 306
Yes No	6.3% 93.7	(± 3.4%) (± 3.4)
Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace A different designated indoor smoking area?	n :	= 313
Yes No	9.6% 90.4	(± 4.0%) (± 4.0)
Among people who are currently employed for wages: In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are at work?	n :	= 334
None Less than one hour One hour or more	82.5% 9.6 8.0	(± 5.1%) (± 3.9) (± 3.8)
In general, would you say that breathing secondhand smoke is	n :	= 618
Not at all annoying to you A little bit annoying Somewhat annoying Very annoying to you	12.5% 12.8 22.3 52.4	(± 3.0%) (± 3.3) (± 3.8) (± 4.6)
Would you say that breathing secondhand smoke is	n :	= 599
Not at all harmful A little bit harmful Somewhat harmful Very harmful	1.8% 6.1 23.1 69.0	(± 1.0%) (± 2.4) (± 3.9) (± 4.3)
All children should be protected from secondhand smoke.	n :	= 608
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	85.3% 10.1 2.5 2.1	(± 3.2%) (± 2.7) (± 1.3) (± 1.6)
Do you think that smoking should not be allowed at all in restaurants?	n :	= 621
Yes No Don't know/Not sure	76.5% 20.7 2.8	(± 4.0%) (± 3.9) (± 1.4)
Do you think that smoking should not be allowed in bars and lounges?	n :	= 618
Yes No Don't know/Not sure	36.4% 52.6 10.9	(± 4.3%) (± 4.5) (± 2.7)

Created on 8/29/2005 Page 8 of 10

Clark

Do you think that smoking should not be allowed in outdoor public areas where children may be present?	n	n = 618
Yes	55.4%	(± 4.5%)
No .	38.0	(± 4.5)
Don't know/Not sure	6.6	(± 2.5)
Local law enforcement officials should place a high priority on enforcing laws that ban the possession of tobacco products by minors.	n	n = 600
Strongly agree	60.1%	(± 4.5%)
Somewhat agree	19.6	(± 3.7)
Somewhat disagree	12.9	(± 3.1)
Strongly disagree	7.4	(± 2.4)
The city or town where you live should establish as many strong rules and laws as possible to protect nonsmokers, including children, from secondhand smoke.	n	n = 601
Strongly agree	51.1%	(± 4.6%)
Somewhat agree	26.5	(± 4.0)
Somewhat disagree	11.2	(± 2.8)
Strongly disagree	11.3	(± 3.1)
School officials should make sure that all children receive anti-tobacco education.	n	n = 615
Strongly agree	85.3%	(± 3.3%)
Somewhat agree	10.9	(± 3.0)
Somewhat disagree	1.8	(± 1.0)
Strongly disagree	2.1	(± 1.2)
Tobacco use by adults should not be allowed on school grounds or at any school events.	n	n = 611
Strongly agree	86.0%	(± 3.3%)
Somewhat agree	10.0	(± 2.9)
Somewhat disagree	2.7	(± 1.4)
Strongly disagree	1.3	(± 1.1)
Have you seen or heard about any efforts or activities in your community or in schools to prevent or reduce tobacco use among youth?	n	n = 591
Yes	43.1%	(± 4.6%)
No	56.9	(± 4.6)
There are so many things that cause cancer, tobacco use is not going to make any difference.	n	n = 603
Strongly agree	6.1%	(± 2.5%)
Somewhat agree	5.1	(± 1.9)
Somewhat disagree	11.1	(± 2.9)
Strongly disagree	77.7	(± 3.9)

Clark
Created on 8/29/2005
Page 9 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Would you ever use or wear something that has a tobacco company logo or picture on it?	n	n = 608	
Yes No	18.2% 81.8	(± 3.8%) (± 3.8)	
Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?	n	= 612	
Yes No	11.9% 88.1	(± 2.9%) (± 2.9)	
During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?	n	= 607	
Yes No	15.6% 84.4	(± 3.4%) (± 3.4)	
During the past year have you been somewhere, such as concert or special event, where tobacco companies were having a promotion - for example, giving away free samples or having a special give-away?	n	= 610	
Yes No	11.8% 88.2	(± 3.1%) (± 3.1)	
Tobacco companies should have the same rights to advertise their products as other companies.	n	= 591	
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	20.2% 31.6 12.6 35.7	(± 3.8%) (± 4.3) (± 3.1) (± 4.4)	
Among people with children ages 12 to 17: Have you told your child specifically that you do not want him or her to use tobacco?	n	= 122	
Yes No	94.6% 5.4	(± 4.4%) (± 4.4)	

Clark
Created on 8/29/2005
Page 10 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.